

18604 West Creek Drive • Tinley Park, IL 60477 • 800.323.0440 • www.g-w.com

Goodheart-Willcox Publisher Correlation of Auto Collision Repair and Refinishing ©2017 to Tennessee Department of Education Standards Course: Introduction to Collision Repair (6172)

	STANDARD	CORRELATING PAGES			
	Safety				
1	Comply with personal and environmental	A.18–38, 116–117, 750–753			
	safety practices associated with (A) clothing				
	and the use of gloves; respiratory protection;	B. 32–35			
	eye protection; hearing protection; (B) hand				
	tools; (C) power equipment; (D) proper	C. 22–23, 29–35, 91, 93, 116–117, 750–753			
	ventilation; and the (E) handling, storage, and				
	disposal of chemicals/materials in accordance	D. 19–21, 26–28			
	with local, state, and federal safety and				
	environmental regulations. (F) Identify vehicle	E. 18–22, 32–34, 36–38, 540–543, 549–550,			
	manufacturer's SRS (supplemental restraint	613, 630, 753			
	system) types, locations, and recommended				
	procedures before inspecting or replacing	F. 579–585, 587–591			
	components.				
	a. Use and inspect personal protective	18–38, 116–117, 750–753			
	equipment every time equipment is used.				
	b. Inspect, maintain, and employ safe operating	22–23, 59–35, 91, 93, 116–117, 750–753			
	procedures with tools and equipment, such as				
	hand and power tools, ladders, scaffolding, and				
	lifting equipment.				
	c. Assume responsibilities under HazCom	18–22, 32–34, 36–38, 540–543, 549–550, 613,			
	(Hazard Communication) regulations.	630, 753			
	d. Adhere to responsibilities, regulations, and	36–38			
	Occupational Safety & Health Administration				
	(OSHA) policies regarding reporting of				
	accidents observed hazards, and regarding				
-	emergency response procedures.				
	e. Maintain a portfolio record of written safety	18–38, 116–117, 750–753			
	examinations and equipment examination for				
	which the student has passed an operational				
	checkout by the instructor.	26.20			
	Utilized MSDSs (material safety data sheets)	36–38			
	and identify the health hazards associated with				
	hazardous material.				



	History of Automobiles		
2	Synthesize research from textbooks,	47–48, 111, 168–169, 202–203, 611–612, 629,	
	automotive magazines, and professional	636–637, 653	
	journals to create an annotated timeline or	,	
	visual graphic illustrating significant time		
	periods in development of automobile design		
	and construction, emphasizing the changing		
	collision repair methods. Develop a persuasive		
	essay making a claim about the impact of a		
	particular event or time period on current		
	practices in the collision repair industry.		
L	Career Invest	tigation	
3	Cite supporting evidence from multiple career	4–14, 818–826, 852–854, 862, 865–868	
	information sources, such as O*NET OnLine, to		
	summarize the essential knowledge and skills		
	required for collision repair technicians.		
	Identify and analyze areas of specialization		
	within the Collision Repair field such as metal		
	technician, structural technician, refinish		
	technician, and detailing technician. Produce a		
	chart or other graphic detailing the aptitudes		
	and training needed for collision repair		
	technician career. Devise a tentative career		
	plan to reach employment goals.		
4	Compile and analyze real-time and projected	11–14, 852–854, 864–865	
	labor market data from public sources such as		
	the U.S. Bureau of Labor Statistics to		
	investigate local and regional occupational		
	opportunities and trends in the field of collision		
	repair. Synthesize collected data to develop a		
	written summary outlining education		
	requirements, job availability, salaries, and		
	benefits.	Panair Anarations	
5	Overview of Collision F Research collision repair processes described in	4–14, 62–76, 174–203, 208–233, 238–264,	
٦	textbooks, repair center websites, or by	270–291, 306–312, 370–392, 398–422, 428–	
	interviewing technicians. Citing research,	453, 469–490, 506–515, 527–532, 539–543,	
	create and publish a written oral, or visual	546–550, 564–572, 585–591, 656–668, 674–	
	presentation describing the major steps	690, 698–725, 750–773, 778–789, 794–813,	
	involved in the collision repair process including	818–845	
	estimating, disassembling, performing, repairs,	010 010	
	refinishing reassembling, detailing, and the		
	final inspection. Discriminate between the		
	different types of repair work such as metal		
	work, structural repairs, mechanical and		
	electrical repairs, and refinishing.		



Vehicle Construction		
6 Utilize appropriate terminology to classify and	42–56	
describe vehicles based on vehicle size, roof	42 30	
design, drive system type, and engine location.		
Compare and contrast the major types of body		
frames (i.e. body-over-frame, unibody, and		
space frame). Create a visual display with		
supporting text to describe the major structura		
parts, sections, and assemblies of each type of		
body frame.		
7 Identify and describe the major parts and	42–54, 458–469, 498–506, 520–527, 536–539,	
components which make up an automobile	543–546, 554–563, 576–585	
body, analyzing the purpose of and	343 340, 334 303, 370 303	
interrelationships among each component and		
explaining the sequence in which each is put		
together in assembly.		
	 Equipment	
8 Accurately identify a wide range of hand tools,	A. 83–91, 146–159, 168–169, 302–304, 596–	
power tools, and equipment used in the	599	
collision repair industry. (A) Hand tools should		
include wrenches, sockets, screwdrivers, pliers,	B. 91–92, 159–166, 168–169, 271–274, 304–	
files, holding tools, punches, chisels, and	305, 599–606	
hammers in metric and/or Society of	303, 333 000	
Automotive Engineers (SAE) sizes where	C. 93–98, 117–139, 168–169, 318–337, 606–	
appropriate. (B) Power tools should include air	624	
tools, grinders, polishers, blasters, and spray	021	
guns. (C) Equipment should include spray		
booths, paint drying equipment, straightening		
systems, and lifts.		
9 Assess a variety of situations requiring the use	174–203, 210–233, 238–264, 276–291, 306–	
of hand tools, power tools, and equipment.	312, 370–392, 398–423, 428–453, 699–725,	
Select the proper tool, critique the readiness of		
the tool, use the tool to accomplish the desired		
task, clean the tool, and then return the tool to		
its proper storage according to correct size and		
nomenclature. For example, demonstrate the		
ability to safely use an air ratchet to remove		
hood hinge bolts.		
Use physical measurement devices typically	342–363	
0 employed in collision repair to complete		
accurate field measurements. Determine the		
appropriate units and record accurate		
measurements of lengths, angles, pressure,		
volume, and other measurements. Tools should	1	
include, but are not limited to: fractional rule,		
metric rule, measuring tape, dial caliper,		
micrometer, dial indicators, pressure gauges,		
and mixing cups.		



1	Apply mathematics concepts to solve collision	102–108, 342–363, 818–845
1	repair problems, distinguishing which principles	
	apply to a given automotive problem. Concepts	
	should include, but are not limited to:	
	a. Operating with whole numbers, fractions,	102-108, 342-363, 818-845
	and decimals. (TN Math N-Q)	
	b. Performing conversations between fractions,	102-108, 342-363, 818-845
	decimals, and percent. For example, convert a	
	decimal to a fraction to prepare a unit of	
	measurement on a fractional scale to the	
	precision of 1/16 of an inch. (TN Math N-Q)	
	c. Working with units such as feet, inches,	102–108, 342–363
	meters, centimeters, and millimeters, and	,
	determining appropriate units for a give task.	
	For example, convert fractions of an inch into	
	millimeters to determine the appropriate size	
	metric wrench to use to loosen a bolt. (TN	
	Math N-Q)	
	d. Performing proportionate reasoning to	818–845
	estimate quantities. (TN Math N-Q)	
	Collision Repair	· Materials
1	Distinguish between the various types of	102–112
2	fasteners commonly used in vehicle	
	construction, such as bolts, nuts, washers,	
	screws, nonthreaded fasteners, and adhesives,	
	by creating a visual display outlining the	
	properties of each type. Define torque and	
	describe the procedures for applying the	
	appropriate torque to tighten bolts.	
	Demonstrate the ability to accurately remove,	
	reinstall, and select the appropriate fastener in	
	a variety of situations. For example, consult	
	torque specifications to determine the torque	
	value for a given size and grade bolt and	
	perform proper tightening sequences to secure	
	bolts.	



1	Compare and contrast the properties and use	A. 166–167, 196–198, 201–202, 722
1 3	of basic materials employed in collision repair	, , , ,
	processes, such as (A) body fillers, (B) putty, (C)	B. 167
	mashing materials, (D) abrasives, sandpapers,	
	(E) primers, (F) paint types, (G) drying and	C. 275–276
	curing materials, and (H) sealers. (I) Describe	
	and demonstrate common procedures used by	D. 167–168, 198–201, 622–623, 642–647,
	collision repair centers to clean and properly	710–713, 780, 794
	dispose of materials and supplies.	
		E. 305, 638–640, 709
		F. 628–642, 753–763
		G. 166–167, 274–276, 633, 710
		H. 641, 649, 709–710
		I. 18–22, 33–34, 647, 703–705
_	Preparation of Non-Structu	
1	Gather information from a variety of print and	62–76, 174–203, 208–233, 238–265, 276–291,
4	digital sources, such as textbooks, original	306–312
	equipment manufacturer (OEM) manuals, and	
	online instructional materials, as well as first	
	hand experiences observing a qualified	
	technician on the basic steps necessary to	
	prepare non-structural body components for	
	repair. Write a summary of the steps involved	
	in the process, as if explaining the process to a	
	new automotive collision repair student, and	
-	be able to perform each step.	
	a. Review damage report and analyze	62–76, 174–179, 208–209, 238–240, 271, 276–
	damage to determine appropriate methods for	277, 819–847
	overall repair; develop and document a repair	
	plan.	477 047 050 447 446 004 007 007 007
	b. Inspect, remove, label, store, and	177, 217, 250, 447–448, 804–807, 827–828
-	reinstall exterior trim and moldings.	20 04 447 207 540 571 772 773 773
	c. Protect panels, glass, interior parts,	30–31, 117, 327, 649–651, 688–689, 706–708,
	and other vehicle panels adjacent to the repair	713–718
_	area.	
	d. Soap and water wash the entire	277, 285–291, 305, 621, 648–649, 702, 750,
	vehicle; complete pre-repair inspection	779–782
	checklist.	



	Metal Finishing and Body Filling of No	
1	Read and interpret textbooks, OEM manuals,	146–169, 174–203, 208–233, 376–291, 596–
5	and other instructional materials to determine	600, 642–647, 698–699, 710–713, 721–725,
	the basic steps necessary to properly repair	794–802, 810–813
	surface irregularities on a damaged body panel.	
	Apply the appropriate tools, equipment, and	
	procedures to safely perform panel repairs.	
	a. Remove paint from the damaged area of the	167–168, 896–600, 622–623, 698–699, 703–
	body panel.	706
	b. Locate and repair surface irregularities on a	69–75, 175–176, 276–277, 699–702, 819–826
	damaged body panel.	
	c. Heat shrink stretched panel areas to proper	137–138, 186–188, 203, 380
	contour.	
	d. Identify different types of body fillers.	166–167, 196–198, 201–202
	e. Prepare and apply body filler.	154, 166–167, 196–202, 722
	f. Rough sand body filler to contour; finish	155–159, 167–168, 198–202, 596–600, 642–
	sand.	644, 710–713
	Surface Preparation for Pa	inting and Refinishing
1	Read and interpret textbooks, OEM manuals,	596–601, 621–623, 642–651, 698–725, 737–
6	and other instructional materials to determine	739
	the basic steps necessary to prepare a surface	
	for painting. Apply the appropriate tools,	
	equipment, and procedures to safely prepare a	
	surface for painting.	
	a. Mix primer, primer-surfacer, or primer-	628–642, 656–669, 736–745
	sealer.	
	b. Apply primer onto the surface of repaired	119, 244, 638–640, 709
	area.	
	c. Block sand area to which primer-surfacer has	710–712
	been applied.	
	d. Dry sand area to which finishing filler has	155–159, 167–168, 198–202, 596–600, 642–
	been applied.	644, 710–713
	e. Clean area to be refinished using final	277, 285–291, 305, 412, 621, 648–649, 702,
	cleaning solution.	750, 779–782